





311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
1. Identification of Hazardous Chemical and of The Supplier		1. Pengenalan Bahan Kimia Berbahaya dan Pembekal	
Product Name : 311 Kleer Glass Product Use : Glass Cleaner Manufacturer's Code : GC301BX(V3) Manufacturer: Goodmaid Chemicals Corporation Sdn. Bhd. Lot 27B Lorong Bunga Tanjung 3/1, Senawang Industrial Park, 70400 Seremban, Negeri Sembilan. Telephone Number: 06-6771337 / 6771327 Emergency Telephone Number : Dial 999, Bomba 994 (Please refer to the local emergency contact)		Nama produk : 311 Kleer Glass Kegunaan : Pencuci Kaca Kod pengeluaran : GC301BX(V3) Pengilang: Goodmaid Chemicals Corporation Sdn. Bhd. Lot 27B Lorong Bunga Tanjung 3/1, Senawang Industrial Park, 70400 Seremban, Negeri Sembilan. Nombor telefon: 06-6771337 / 6771327 Nombor telefon kecemasan: Dial 999, Bomba 994 (Sila merujuk kepada nombor telefon kecemasan tempatan)	
2. Hazard Identification		2. Pengenalan Bahaya	
Classification of the substance or mixture Flammable liquids (Category 3) Serious eye damage/eye irritation (Category 2) Label elements Hazard pictograms :   Signal words : Warning Hazard Statements H226 Flammable liquid and vapour H319 Causes serious eye irritation		Klasifikasi bahan atau campuran Cecair mudah bakar (Kategori 3) Kerosakan pada mata/kerengsaan mata yang serius (Kategori 2) Unsur label Piktogram Bahaya:   Kata Isyarat : Amaran Penyataan bahaya H226 Cecair dan wap mudah bakar H319 Menyebabkan kerengsaan mata yang serius	

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
------------------------	---	----------------------------------	----------

2. Hazard Identification			2. Pengenalan Bahaya		
Precautionary Statements			Pernyataan langkah berjaga-jaga pencegahan		
<ul style="list-style-type: none"> Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical / ventilating / lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash hand thoroughly after handling. Wear protective gloves / protective clothing / eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep cool. Dispose of content/container in accordance with local regulation. 			<ul style="list-style-type: none"> Jauhkan daripada haba/percikan api/nyalaan terbuka/permukaan panas. – Dilarang merokok. Pastikan bekas ditutup dengan ketat. Bumikan/ikat bekas dan kelengkapan terimaan. Gunakan kelengkapan elektrik / pengalihudaraan / pencahayaan yang tahan letupan. Gunakan hanya alat yang tidak mengeluarkan percikan api. Ambil langkah berjaga-jaga terhadap nyahcas statik. Basuh tangan bersih-bersih selepas mengendalikan bahan. Pakai sarung tangan pelindung/ pakaian pelindung/ perlindungan mata/perlindungan muka. JIKA TERKENA KULIT (atau rambut): Segera tanggalkan/buka semua pakaian yang tercemar. Basuh kulit dengan air/pancuran air. JIKA TERKENA MATA: Bilas berhati-hati dengan air selama beberapa minit. Tanggalkan kanta lekap, jika ada dan dapat dilakukan dengan mudah. Teruskan membilas. Jika kerengsaan mata berterusan: Dapatkan nasihat/rawatan perubatan. Simpan di tempat yang dialihudarkan dengan baik. Simpan di tempat sejuk. Lupuskan kandungan/bekas menurut peraturan tempatan. 		
3. Composition and information of the ingredients of the hazardous chemical			3. Komposisi dan maklumat mengenai ramuan bahan kimia berbahaya		
<u>Chemical Name</u>	<u>CAS No.</u>	<u>Proportion</u>	<u>Nama kimia</u>	<u>No. CAS</u>	<u>Kadaran</u>
2-Butoxyethanol	111-76-2	5 – 10%	2-Butoksietanol	111-76-2	5 – 10%
Isopropyl Alcohol	67-63-0	5 – 10%	Isopropil Alkohol	67-63-0	5 – 10%

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
4. First-Aid Measures		4. Langkah-langkah Pertolongan Cemas	
<p>Ingestion: Get medical attention</p> <p>Eye Contact: Flush with water for several minutes. Obtain medical attention if discomfort persists.</p> <p>Skin Contact: Wash with plenty of water</p> <p>Inhalation: Remove to fresh air</p>		<p>Ingesan: Dapatkan rawatan perubatan.</p> <p>Sentuhan mata: Bilas dengan air selama beberapa minit. Dapatkan rawatan perubatan jika ketidakselesaan berlanjutan .</p> <p>Sentuhan kulit: Mencuci dengan air yang banyak.</p> <p>Sedutan: Pindahkan ke kawasan berudara segar.</p>	
5. Fire Fighting Measures		5. Langkah-langkah pemadaman kebakaran	
<p>Extinguishing Media: Water / spray CO₂ / dry chemical or universal type foams</p> <p>Fire Fighting Instruction: Wear suitable self protective clothing & equipment. As per appropriate for surrounding fire, water spray should be used to cool containers.</p> <p>Special Hazards: Will not occur</p>		<p>Media pemadaman: Air/Sembur CO₂/kimia kering atau buih jenis universal</p> <p>Arahan pencegahan api: Pakai pakaian atau alat perlindungan diri yang sesuai. Sesuai untuk api di sekeliling, penyembur air harus digunakan untuk menjejaskan bekas.</p> <p>Bahaya-bahaya utama: Tidak akan berlaku.</p>	
6. Accidental Release Measures		6. Langkah-langkah pengawalan tidak sengaja	
<p>Personal Precaution: Wear chemical resistant glove, goggle, respirator & protective clothing if needed.</p> <p>Environmental: Keep away from drainage system.</p> <p>Methods and materials for containment and cleaning up Small Spillages: Flush away spillage with plenty of water.</p> <p>Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.</p>		<p>Langkah berjaga-jaga peribadi: Pakai sarung tangan tahan kimia, kanta mata keselamatan, alat pernafasan & pakaian pelindung jika diperlukan.</p> <p>Alam sekitar: Jauhkan daripada sistem perparitan</p> <p>Kaedah dan bahan bagi pembendungan dan pembersihan Tumpahan kecil: Basuh tumpahan dengan air yang banyak.</p> <p>Tumpahan besar: Kumpul dan serap tumpahan dengan pasir, bumi atau bahan tidak mudah terbakar yang lain. Kumpulkan dan letakkan dalam bekas pelupusan sisa yang sesuai dan meterai dengan selamat.</p>	

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
7. Handling and Storage		7. Pengendalian dan Penyimpanan	
<p>Precautions for safe handling: Avoid contact with skin and eyes. Wash hand thoroughly after handling.</p> <p>Condition for safe storage: Avoid heat and keep container closed.</p>		<p>Langkah berjaga-jaga bagi pengendalian selamat: Mengelak daripada terkena kulit dan mata. Basuh tangan bersih-bersih selepas pengendalian.</p> <p>Keadaan bagi penyimpanan selamat: Mengelak daripada kepanasan dan bekas mesti ditutup.</p>	
8. Exposure Control and Personal Protection		8. Kawalan Pendedahan dan Perlindungan	
<p>Control Parameter: Permissible Exposure limit : Not Applicable Biological Exposure limit : Not Applicable</p> <p>Engineering Control : Use mechanical or local ventilation.</p> <p>Personal Protective Equipment: Eye : Wear safety glasses Skin : Wear protective clothing and gloves Respiratory : None required where adequate ventilation condition exist</p>		<p>Parameter Kawalan: Had Pendedahan Terizin : Tidak berkenaan Had pendedahan biologikal : Tidak berkenaan</p> <p>Pengawalan kejuruteraan : Gunakan pengalihudaraan setempat atau mekanikal</p> <p>Alat Perlindungan diri : Mata : Pakai kaca mata keselamatan Kulit : Pakai sarung tangan dan pakaian perlindungan diri Sedutan : Tidak perlu perlindungan khas jika keadaan pengaliran udara adalah mencukupi</p>	
9. Physical and Chemical Properties		9. Sifat-sifat Fizikal dan Kimia	
<p>Appearance : Clear Dark Blue Liquid Odour : Reminiscent of Alcohol pH : ≥ 10.5 Melting Point ($^{\circ}\text{C}$) : Not Applicable Boiling Point ($^{\circ}\text{C}$) : No Data Available Flash Point : 45.5°C Evaporation Rate (As H_2O) : No Data Available Flammability (solid, gas) : Not Applicable Flammable Limit (%) : Not Applicable Vapour Pressure (mm of Hg at 25°C) : Not Applicable Vapour Density (Air = 1) : Not Applicable Relative Density : No data available Solubility : Soluble in water Partition coefficient:n-octanol/water : No Data Available Auto Ignition Temperature : No Data Available Decomposition temperature : No Data Available Specific Gravity ($\text{H}_2\text{O} = 1$) : 1.00 Viscosity : Not Applicable</p>		<p>Rupa : Cecair Jernih Biru Gelap Bau : Berbau Alkohol pH : ≥ 10.5 Takat lebur ($^{\circ}\text{C}$) : Tidak berkenaan Takat didih ($^{\circ}\text{C}$) : Tiada data diperolehi Takat kilat : 45.5°C Kadar penyejatan (banding dengan air) : Tiada data diperolehi Kemudahbakaran (pepejal,gas) : Tidak berkenaan Had kemudahbakaran(%) : Tidak berkenaan Tekanan wap (mm of Hg pada 25°C) : Tidak berkenaan Ketumpatan wap (udara = 1) : Tidak berkenaan Ketumpatan bandingan : Tiada data diperolehi Kebolehlarutan : Larut dalam air Pekali sekatan: n-oktanol/air : Tiada data diperolehi Suhu pengautocucuhan : Tiada data diperolehi Suhu penguraian : Tiada data dipeolehi Graviti tentu ($\text{H}_2\text{O} = 1$) : 1.00 Kelikatan : Tidak berkenaan</p>	

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
-----------------	---	----------------------------------	---

10. Stability and Reactivity	10. Kestabilan dan Kereaktifan
<p>Reactivity: No Data Available</p> <p>Chemical stability: Stable under normal conditions.</p> <p>Possibility of hazardous reaction: No dangerous reaction known under conditions of normal use</p> <p>Condition to Avoid: Do not store at temperature above 40°C</p> <p>Incompatibles: Strong acids and oxidising agents</p> <p>Hazardous Decomposition Products : Will not occur</p>	<p>Kereaktifan: Tiada data diperolehi</p> <p>Kestabilan bahan: Stabil dibawah keadaan normal</p> <p>Kemungkinan berlakunya tindak balas berbahaya: Tiada tindak balas berbahaya yang diketahui di bawah keadaan penggunaan biasa</p> <p>Keadaan yang perlu dielak: Tidak boleh simpan pada suhu melebihi 40°C</p> <p>Bahan tak serasi: Asid kuat dan agen pengoksidaan</p> <p>Produk penguraian berbahaya: Tidak akan berlaku</p>
11. Toxicological Information	11. Maklumat Toksikologi
<p>Acute toxicity: Acute toxicity estimate is more than 2000 mg/kg.</p> <p>Skin corrosion or irritation: Generic concentration limit of category 1& 2 is less than 10%</p> <p>Serious eye damage or eye irritation: Causes serious eye irritation category 2 Generic concentration limit of category 1&2 is more than 10%</p> <p>Respiratory sensitization: No data available</p> <p>Skin sensitization: No data available</p>	<p>Ketoksikan akut: Anggan ketoksikan akut adalah melebihi 2000 mg/kg.</p> <p>Kakisan atau kerengsaan kulit: Had kepekatan umum kategori 1&2 adalah kurang dari 10%.</p> <p>Kerosakan atau kerengsaan mata yang serius: Menyebabkan kerengsaan mata yang serius kategori 2 Had kepekatan umum kategori 1&2 adalah lebih dari 10%.</p> <p>Pemekaan pernafasan: Tiada data diperolehi</p> <p>Pemekaan kulit: Tiada data diperolehi</p>

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
------------------------	---	----------------------------------	----------

11. Toxicological Information	11. Maklumat Toksikologi
<p><i>Germ cell mutagenicity:</i> No data available</p> <p><i>Carcinogenicity:</i> No data available</p> <p><i>Reproductive toxicity:</i> No data available</p> <p><i>Specific target organ toxicity (STOT) – single exposure:</i> May cause damage to organs category 2 (<i>CNS, Blood, Kidney, liver</i>)</p> <p>2-Butoxyethanol Generic concentration limit is less than 10%, more than 1%</p> <p><i>Specific target organ toxicity (STOT) – repeated exposure:</i> No data available</p> <p><i>Aspiration hazard:</i> No data available</p>	<p><i>Kemutagenan sel germa;</i> Tiada data diperolehi</p> <p><i>Kekarsinogenan;</i> Tiada data diperolehi</p> <p><i>Ketoksikan pembiakan;</i> Tiada data diperolehi</p> <p><i>Ketoksikan organ sasaran khusus (STOT) – pendedahan tunggal:</i> Boleh menyebabkan kerosakan organ Kategori 2 (<i>SSP, Darah, Buah Pinggang, Hati</i>) 2-Butoksietanol Had kepekatan umum adalah kurang dari 10%, melebihi 1%.</p> <p><i>Ketoksikan organ sasaran khusus (STOT) – pendedahan berulang:</i> Tiada data diperolehi</p> <p><i>Bahaya aspirasi:</i> Tiada data diperolehi</p>
12. Ecological Information	12. Maklumat Ekologi
<p><i>Ecotoxicity:</i> No Data Available</p> <p><i>Persistence and degradability :</i> No Data Available</p> <p><i>Bioaccumulative potential:</i> No Data Available</p> <p><i>Mobility in soil:</i> No Data Available</p>	<p><i>Keekotoksikan:</i> Tiada data diperolehi</p> <p><i>Tetap dan Kebolehbiorosotan:</i> Tiada data diperolehi</p> <p><i>Pembiotumpukan:</i> Tiada data diperolehi</p> <p><i>Kebolehgerakan:</i> Tiada data diperolehi</p>

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
13. Disposal Information		13. Maklumat Pelupusan	
<p>Waste for residues Entrust disposal product to industrial waste disposal contractor.</p> <p>Used container Disposal should be done in accordance with local, state, and national laws.</p>		<p>Sisa buangan Menyerahkan produk buangan kepada kontraktor pelupusan sisa industri.</p> <p>Bekas terpakai Pelupusan perlu dilakukan menurut undang-undang tempatan, negeri dan kebangsaan</p>	
14. Transport Information		14. Maklumat Pengangkutan	
<p>a) UN Number: UN 1993</p> <p>b) UN proper shipping name: FLAMMABLE LIQUID, N.O.S.</p> <p>c) Transport hazard class: Class 3</p> <p>d) Packing group: Packing Group III</p> <p>e) Environmental hazards: No</p> <p>f) Transport in bulk: No data available</p> <p>g) Special precaution: No data available</p>		<p>a) Nombor UN : UN 1993</p> <p>b) Nama penghantaran sah PBB. FLAMMABLE LIQUID, N.O.S.</p> <p>c) Kelas bahaya pengangkutan. Class 3</p> <p>d) Kumpulan pembungkusan, jika berkenaan Kumpulan pembungkusan III</p> <p>e) Bahaya alam sekitar Tidak</p> <p>f) Pengangkutan secara pukal Tiada data diperolehi</p> <p>g) Langkah berjaga-jaga khas Tiada data diperolehi</p>	
15. Regulatory Information		15. Maklumat Pengawalan	
<p>Safety, health and environmental regulations/legislation specific for the substance or mixture:</p> <p>Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.</p> <p>ICOP (INDUSTRY CODE OF PRACTICE) on Chemicals Classification and Hazard Communication 2014</p>		<p>Peraturan keselamatan, kesihatan dan alam sekitar khusus untuk bahan atau campuran:</p> <p>Peraturan Malaysia: Peraturan-Peraturan Keselamatan dan Kesihatan Pekerjaan (Pengelasan, Pelabelan dan Helaian Data Keselamatan Bahan Kimia Berbahaya) 2013</p> <p>Tataamalan Industri Mengenai Pengelasan Bahan Kimia dan Komunikasi Hazard 2014</p>	

311 Kleer Glass	SAFETY DATA SHEET RISALAH DATA KESELAMATAN	Revision No Nombor Penyemakan	6
16. Other Information		16. Maklumat lain	
Date of preparation : 02.03.2015 Date of revision : 07.05.2025 Reference material: <ul style="list-style-type: none"> ECHA European Chemicals Agency PubChem Open Chemistry Database Disclaimer: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief accurate as the date indicated. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.		Tarikh penyediaan : 02.03.2015 Tarikh penyemakan : 07.05.2025 Bahan rujukan: <ul style="list-style-type: none"> ECHA European Chemicals Agency PubChem Open Chemistry Database Maklumat Kawalan Selia: Maklumat yang terkandung di dalam Risalah Data Keselamatan Kimia ini adalah sejajar dengan tahap pengetahuan kami pada masa ianya diterbitkan. Maklumat yang diberikan adalah untuk panduan keselamatan dalam pengendalian, penggunaan, penyimpanan, pengangkutan, perlupusan serta perlepasan dan bukan sebagai waranti atau spesifikasi kualiti. Maklumat berkenaan hanya merujuk kepada bahan ini sahaja dan tidak sah jika bahan ini digunakan bersama bahan lain atau di proses lain, kecuali ditentukan dalam teks .	